

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

PATENT

Serial No.: 10/089,703)
Filed: April 1, 2002)
In re Application of:)
Bunce et al.)
For: FLUID-FLOW CONTROL DEVICE)
Examiner: Not yet assigned)
Art Unit: Not yet assigned)
Attorney Docket No.: 225/40185/37497-PCT-US)

CERTIFICATE OF MAILING BY "EXPRESS MAIL"
MAILING LABEL NUMBER: EL720075510US
DATE OF DEPOSIT: October 17, 2002
I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING
DEPOSITED WITH THE UNITED STATES POSTAL SERVICE
"EXPRESS MAIL POST OFFICE BOX ADDRESSEE"
SERVICE UNDER 35 CFR 1.10 ON THE DATE INDICATED
ABOVE AND IS ADDRESSED TO THE ASSISTANT
COMMISSIONER FOR PATENTS, WASHINGTON, D.C.
20231.
[Signature]
Dorothy E. Sexton

PETITION FOR THREE-MONTH EXTENSION OF TIME

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Applicant, in the above-identified matter, hereby petitions under 37 CFR §1.136 for a three-month extension of time to respond to the Notification of Missing Requirements Mailed on May 22, 2002. This Petition requests an extension of time extending the period for responding to the Office Action up to and including October 22, 2002.

Submitted herewith is a check from the undersigned firm in the amount of \$ 460.00 for the Three-Month Extension of Time fee.

The Commissioner is hereby authorized to charge payment of any additional fee due herewith or to credit any overpayment to Deposit Account No. 20-1495. A duplicate of this Petition is attached.

Respectfully submitted,

Date: October 17, 2002

By: *[Signature]*
Raiford A. Blackstone, Jr., Reg. 25,156
Linda L. Palomar, Reg. No. 37,903

Attorneys for Applicant
TREXLER, BUSHNELL, GIANGIORGI,
BLACKSTONE & MARR, LTD.
105 W. Adams, 36th Floor
Chicago, Illinois 60603-6299
(312) 704-1890